

Metap1 Cas9-KO Strategy

Designer: Yun Li

Reviewer: Longyun Hu

Design Date: 2023-01-29

Overview

Target Gene Name

• Metap1

Project Type


• Cas9-KO

Genetic Background

• C57BL/6JGpt



Strain Strategy



Schematic representation of CRISPR-Cas9 engineering used to edit the Metap1 gene.



Technical Information

- The *Metap1* gene has 7 transcripts. According to the structure of *Metap1* gene, exon4 of *Metap1-201*(ENSMUST00000029804.13) transcript is recommended as the knockout region. The region contains 61bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR-Cas9 technology to modify *Metap1* gene. The brief process is as follows: gRNAs were transcribed in vitro. Cas9 and gRNAs were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and on-target amplicon sequencing. A stable F1-generation mouse strain was obtained by mating positive F0-generation mice with C57BL/6JGpt mice and confirmation of the desired mutant allele was carried out by PCR and on-target amplicon sequencing.



Gene Information

Metap1 methionyl aminopeptidase 1 [Mus musculus (house mouse)]

Gene ID: 75624, updated on 12-Jul-2022

Summary



Official Symbol Metap1 provided by MGI

Official Full Name methionyl aminopeptidase 1 provided by MGI

Primary source MGI:MGI:1922874

See related Ensembl:ENSMUSG00000005813

Gene type protein coding
RefSeq status PROVISIONAL
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1700029C17Rik, AW047992, mKIAA0094

Expression Ubiquitous expression in placenta adult (RPKM 27.6), CNS E11.5 (RPKM 21.6) and 28 other tissuesSee more

Orthologs <u>human all</u>

Source: https://www.ncbi.nlm.nih.gov/




Transcript Information

The gene has 7 transcripts, all transcripts are shown below:

| Name | Transcript ID | bp | Protein | Biotype | CCDS | UniProt | Flags |
|------------|-----------------------|------|--------------|----------------------|-----------|---------|-----------------------------------|
| Metap1-201 | ENSMUST00000029804.13 | 2686 | 386aa | Protein coding | CCDS17869 | | TSL:1 , GENCODE basic , APPRIS P1 |
| Metap1-203 | ENSMUST00000197531.2 | 3708 | 142aa | Protein coding | - | | TSL:1 , GENCODE basic , |
| Metap1-205 | ENSMUST00000198700.2 | 1007 | <u>116aa</u> | Protein coding | 2 | | CDS 5' incomplete , TSL:5 , |
| Metap1-206 | ENSMUST00000199303.2 | 763 | No protein | Processed transcript | - | | TSL:5, |
| Metap1-207 | ENSMUST00000200365.5 | 731 | No protein | Retained intron | 2 | | TSL:3, |
| Metap1-204 | ENSMUST00000198492.2 | 716 | No protein | Retained intron | - | | TSL:2, |
| Metap1-202 | ENSMUST00000195910.5 | 681 | No protein | Retained intron | - | | TSL:2, |


The strategy is based on the design of *Metap1*-201 transcript, the transcription is shown below:



Source: https://www.ensembl.org




Genomic Information






Source: : https://www.ensembl.org

Protein Information





Source: : https://www.ensembl.org

Important Information

- The effect of Metap1-205 gene is unknown.
- *Metap1* is located on Chr3. If the knockout mice are crossed with other mouse strains to obtain double homozygous mutant offspring, please avoid the situation that the second gene is on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risks of the mutation on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

