




Genotyping Report

Strain ID	T045731	Strain Type	KO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	MeiXiang Pan	Gene Name			<i>Rnf26</i>

1. Strategy of Genotyping



Wild type: ①PCR reaction obtains a single WT band; ②PCR reaction obtains a single WT band.

Heterozygote: ①PCR reaction obtains a WT band and a KO band; ②PCR reaction obtains a WT band.

Homozygote: ①PCR reaction obtains a single KO band; ② PCR reaction without product.

Note: 1)The sizes of WT and Targeted band are shown below.

2)If the WT band is too large, it may not be possible to obtain a WT band.

2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
PCR①备用	T045731(P1)-F1A	AATAAATGATGAGCCGGACATGG	WT:3621 bp Targeted:409bp
	T045731(P1)-R1A	AGGCAGCAGATTCTGCTCTGTC	
PCR②备用	T045731(P1)-F1A	AATAAATGATGAGCCGGACATGG	WT:464bp Targeted:0 bp
	T045731(P1)-R2A	CCAAAGACAGTTCCAATGAGAGG	

3. Gel Image

gaatgaatgagatgaggcgggggtcccagg---3212bp---gtgccaagaggaaagccacagcaagcatg



Note: P: Positive control; WT: Wildtype control; B: Blank control (ddH₂O); M: DNA Ladder

① Control (WT) : It is an important reference mark for whether the PCR reaction is successful and whether the product band position and size meet the theoretical requirements.



② Control (B) : PCR amplification was performed without template in the PCR reagent to monitor whether the reagent was contaminated.

4. PCR Condition

PCR Reaction Component			
Seg.	reaction component	Volume (μl)	
1	2 × Rapid Taq Master Mix (Vazyme P222)	12.5	
2	ddH ₂ O	9.5	
3	Primer A(10pmol/μl)	1	
4	Primer B(10pmol/μl)	1	
5	Template(≈100ng/μl)	1	

PCR program ① priority selection			
Seg.	Temp.	Time	Cycle
1	95°C	5min	20×
2	98°C	30s	
3	65°C* (-0.5°C/cycle)	30s	
4	72°C	45s*	
5	98°C	30s	
6	55°C*	30s	
7	72°C	45s*	
8	72°C	5min	
9	10°C	hold	

PCR program ② the second choice			
Seg.	Temp.	Time	Cycle
1	95°C	5min	35×
2	98°C	30s	
3	58°C *	30s	
4	72°C	45s*	
5	72°C	5min	
6	10°C	hold	

Note*: Annealing temperature and extension time can be determined according to the actual amplification situation and amplification enzyme efficiency.