


Genotyping Report

Strain ID	T008232	Strain Type	CKO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	Sisi Liang	Gene Name	<i>Trpm2</i>		

1. Strategy of Genotyping



Wild type: ①PCR reaction obtains a single WT band; ②PCR reaction obtains a single WT band.

Heterozygote: ①PCR reaction obtains a WT band and a Targeted band; ②PCR reaction obtains a WT band and a Targeted band.


Homozygote: ①PCR reaction obtains a single Targeted band; ②PCR reaction obtains a single Targeted band.

Note: The sizes of WT and Targeted band are shown below.

2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
① (5'arm)	T008232-F1	GAGCTTTCACATCCTCTTGATGTTT	WT: 313bp Targeted: 418bp
	T008232-R1	TTGGATTACTAGTTGCTAGAGGGTGAG	
② (3'arm)	T008232-F2	AACAGGAGACAGATGTTCAAACGC	WT: 314bp Targeted: 420bp
	T008232-R2	TCTCTTGCTTCTTACGCTCTGGC	

3. Gel Image & Conclusion



Note: P: Positive sample; WT: Wildtype control; N: Blank control (ddH₂O); M: DNA Ladder

4. PCR Condition

PCR Reaction Component			
Seg.	reaction component		Volume (μl)
1	2 × Taq Master Mix , Dye Plus, (Vazyme P112-03)		12.5
2	ddH2O		9.5
3	Primer A(10pmol/μl)		1
4	Primer B(10pmol/μl)		1
5	Template(≈100ng/μl)		1
PCR program			
Seg.	Temp.	Time	Cycle
1	95℃	5min	20×
2	98℃	30s	
3	65℃ (-0.5℃/cycle)	30s	
4	72℃	45s	
5	98℃	30s	20×
6	55℃	30s	
7	72℃	45s	
8	72℃	5min	
9	10℃	hold	