Aire Cas9-KO Strategy

Designer:

Reviewer:

Design Date:

Ruirui Zhang

Huimin Su

2019-12-25

Project Overview



Project Name

Aire

Project type

Cas9-KO


Strain background

C57BL/6J

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Aire* gene. The schematic diagram is as follows:



The target site of 5-terminal should be far away from exon7.

Technical routes



- The *Aire* gene has 16 transcripts. According to the structure of *Aire* gene, exon8 of *Aire*-204 (ENSMUST00000128241.7) transcript is recommended as the knockout region. The region contains coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Aire* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6J mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating Positive F0 generation mice with C57BL/6J mice.

Notice



- According to the existing MGI data, targeted mutations that inactivate the gene result in immune system dysfunction characterized by multiorgan lymphocytic infiltration and circulating autoantibodies, embryonic lethality prior to tooth bud stage. Whereas one line is fertile, another exhibits male and female sterility.
- ➤ This strategy will retain the N-terminal amino acid sequence, and the function is unknown.
- The *Aire* gene is located on the Chr10. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Aire autoimmune regulator (autoimmune polyendocrinopathy candidiasis ectodermal dystrophy) [Mus musculus (house mouse)]

Gene ID: 11634, updated on 29-Oct-2019

Summary



Official Symbol Aire provided by MGI

Official Full Name autoimmune regulator (autoimmune polyendocrinopathy candidiasis ectodermal dystrophy) provided by MGI

Primary source MGI:MGI:1338803

See related Ensembl: ENSMUSG00000000731

Gene type protein coding
RefSeq status VALIDATED

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Expression Biased expression in thymus adult (RPKM 20.4), spleen adult (RPKM 1.4) and 1 other tissue See more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 16 transcripts, and all transcripts are shown below:


- 1							V	
4	Name 🍦	Transcript ID 🗼	bp 🍦	Protein	Biotype	CCDS	UniProt	Flags
	Aire-204	ENSMUST00000128241.7	1938	<u>552aa</u>	Protein coding	CCDS23961 ₽	<u>B2MVU6</u> ₽ <u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic APPRIS P3
	Aire-201	ENSMUST00000019257.14	1926	<u>551aa</u>	Protein coding	CCDS70053 ₽	Q3ZB65 ₪ Q9Z0E3 ₪	TSL:1 GENCODE basic APPRIS ALT2
	Aire-212	ENSMUST00000145975.7	1926	<u>548aa</u>	Protein coding	CCDS70060 ₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic APPRIS ALT2
	Aire-205	ENSMUST00000130972.7	1923	<u>547aa</u>	Protein coding	CCDS70058®	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic APPRIS ALT2
	Aire-203	ENSMUST00000105396.8	1749	<u>492aa</u>	Protein coding	CCDS70052 ₽	Q9Z0E3₽	TSL:1 GENCODE basic APPRIS ALT2
	Aire-215	ENSMUST00000155021.7	1737	<u>488aa</u>	Protein coding	CCDS70057 ₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic APPRIS ALT2
	Aire-214	ENSMUST00000154374.1	1712	<u>493aa</u>	Protein coding	CCDS70055 ₽	Q3ZB71 ₪ Q9Z0E3 ₪	TSL:1 GENCODE basic APPRIS ALT2
	Aire-202	ENSMUST00000105395.8	1630	<u>409aa</u>	Protein coding	CCDS70054₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic
	Aire-216	ENSMUST00000156417.7	1627	<u>408aa</u>	Protein coding	CCDS70051 ₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic
	Aire-213	ENSMUST00000148469.7	1618	<u>405aa</u>	Protein coding	CCDS70059 ₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic
	Aire-207	ENSMUST00000140636.7	1615	<u>404aa</u>	Protein coding	CCDS70056 ₽	<u>Q9Z0E3</u> ₽	TSL:1 GENCODE basic
	Aire-206	ENSMUST00000131028.7	2966	<u>67aa</u>	Nonsense mediated decay	-	<u>D6RDQ5</u> ₽	TSL:1
	Aire-211	ENSMUST00000143735.7	1936	<u>317aa</u>	Nonsense mediated decay	-	<u>E9Q441</u> &	TSL:1
	Aire-210	ENSMUST00000143548.7	1265	No protein	Retained intron	-	-	TSL:5
	Aire-208	ENSMUST00000141255.1	1077	No protein	Retained intron	-	-	TSL:2
	Aire-209	ENSMUST00000143452.1	632	No protein	Retained intron	-	-	TSL:3
				-				

The strategy is based on the design of *Aire-*204 transcript, the transcription is shown below:



Genomic location (Ensembl)






Protein domain (Ensembl)





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, targeted mutations that inactivate the gene result in immune system dysfunction characterized by multiorgan lymphocytic infiltration and circulating autoantibodies. Whereas one line is fertile, another exhibits male and female sterility.

If you have any questions, you are welcome to inquire. Tel: 025-5864 1534





