

# John Stock Collins Csf3 Cas9-KO Strategy Constant alter

Complaind to Co. Designer:Daohua Xu

# **Project Overview**



Project Name Csf3


Project type Cas9-KO

Strain background C57BL/6J

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Csf3 gene. The schematic diagram is as follows:



## **Technical routes**



- ➤ The *Csf3* gene has 1 transcript. According to the structure of *Csf3* gene, exon1-exon5 of *Csf3-201* (
  ENSMUST00000038886.2) transcript is recommended as the knockout region. The region contains all of the coding sequence Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Csf3* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6J mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6J mice.

## **Notice**



- ➤ According to the existing MGI data, Homozygotes for a targeted null mutation exhibit chronic neutropenia, with severely reduced peripheral blood neutrophil levels, and reduced resistance to Listeria monocytogenes infection. Heterozygotes have intermediate neutrophil levels.
- > The *Csf3* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ This Strategy is designed based on genetic information in existing databases. Due to the complexity of gene transcription and translation processes, all risks cannot be predicted under existing information.

## Gene information (NCBI)



#### Csf3 colony stimulating factor 3 (granulocyte) [Mus musculus (house mouse)]

Gene ID: 12985, updated on 31-Jan-2019

#### Summary

☆ ?

Official Symbol Csf3 provided by MGI

Official Full Name colony stimulating factor 3 (granulocyte) provided by MGI

Primary source MGI:MGI:1339751

See related Ensembl:ENSMUSG00000038067

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Csfg, G-CSF, MGI-IG

Expression Biased expression in ovary adult (RPKM 3.1), genital fat pad adult (RPKM 0.7) and 4 other tissuesSee more

Orthologs <u>human</u> all


# Transcript information (Ensembl)



The gene has 1 transcript, and the transcript is shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags	
Csf3-201	ENSMUST00000038886.2	1413	208aa	Protein coding	CCDS25360	P09920 Q0VB73	TSL:1 GENCODE basic APPRIS P1	L

The strategy is based on the design of Csf3-201 transcript, The transcription is shown below




## Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygotes for a targeted null mutation exhibit chronic neutropenia, with severely reduced peripheral blood neutrophil levels, and reduced resistance to Listeria monocytogenes infection. Heterozygot have intermediate neutrophil levels.



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





