

Pdzd2 Cas9-CKO Strategy

Designer: Huimin Su

Reviewer: Ruiuri Zhang

Design Date: 2020-8-13

Project Overview



Project Name

Pdzd2

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Pdzd2* gene. The schematic diagram is as follows:



Technical routes



- The *Pdzd2* gene has 9 transcripts. According to the structure of *Pdzd2* gene, exon2-exon4 of *Pdzd2*201(ENSMUST00000075317.11) transcript is recommended as the knockout region. The region contains 778bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Pdzd2* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > According to the existing MGI data, mice homozygous for a gene trapped allele exhibit normal response to acute and chronic pain.
- The *Pdzd2* gene is located on the Chr15. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Pdzd2 PDZ domain containing 2 [Mus musculus (house mouse)]

Gene ID: 68070, updated on 26-Jun-2020

Summary

↑ ?

Official Symbol Pdzd2 provided by MGI

Official Full Name PDZ domain containing 2 provided by MGI

Primary source MGI:MGI:1922394

See related Ensembl: ENSMUSG00000022197

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae;

Mus; Mus

Also known as Gm82; Pdzk3; Gm21706; 4930537L06Rik; A930022H17Rik

Expression Biased expression in lung adult (RPKM 19.6), subcutaneous fat pad adult (RPKM 4.3) and 13 other tissues See more

Orthologs human all


Transcript information (Ensembl)



The gene has 9 transcripts, all transcripts are shown below:


| Name 🍦 | Transcript ID | bp 🛊 | Protein A | Biotype | CCDS | UniProt | Flags |
|-----------|-----------------------|-------|--------------|----------------------|-------------|---------------------|----------------------------|
| Pdzd2-205 | ENSMUST00000189324.1 | 796 | <u>36aa</u> | Protein coding | * | A0A087WS85₽ | CDS 3' incomplete TSL:1 |
| Pdzd2-203 | ENSMUST00000186113.1 | 438 | <u>49aa</u> | Protein coding | = | <u>A0A087WQ09</u> € | CDS 3' incomplete TSL:3 |
| Pdzd2-208 | ENSMUST00000190929.1 | 1210 | <u>363aa</u> | Protein coding | - | A0A087WRL4@ | CDS 3' incomplete TSL:1 |
| Pdzd2-201 | ENSMUST00000075317.11 | 10756 | 2796aa | Protein coding | CCDS37045 ₺ | E9Q1M1₽ | TSL:5 GENCODE basic APPRIS |
| Pdzd2-207 | ENSMUST00000189746.1 | 1051 | No protein | Processed transcript | 딕 | - | TSL:1 |
| Pdzd2-202 | ENSMUST00000185619.1 | 818 | No protein | Processed transcript | u u | 2 | TSL:2 |
| Pdzd2-206 | ENSMUST00000189469.6 | 4071 | No protein | Retained intron | ā | - | TSL:1 |
| Pdzd2-209 | ENSMUST00000191339.1 | 3143 | No protein | Retained intron | ā | - | TSL:1 |
| Pdzd2-204 | ENSMUST00000187398.1 | 622 | No protein | Retained intron | - | - | TSL:3 |

The strategy is based on the design of *Pdzd2-201* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





