

Chrdl2 Cas9-CKO Strategy

Designer: Xueting Zhang

Reviewer: Daohua Xu

Design Date: 2020-8-11

Project Overview



Project Name

Chrdl2

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Chrdl2* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Chrdl2* gene has 4 transcripts. According to the structure of *Chrdl2* gene, exon2-exon6 of *Chrdl2*202(ENSMUST00000107084.7) transcript is recommended as the knockout region. The region contains 500bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Chrdl2* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > The *Chrdl2* gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > Transcript *Chrdl2*-204 may not be affected.
- ➤ The effect on transcript *Chrdl2*-203 is unknown.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Chrdl2 chordin-like 2 [Mus musculus (house mouse)]

Gene ID: 69121, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Chrdl2 provided by MGI

Official Full Name chordin-like 2 provided by MGI

Primary source MGI:MGI:1916371

See related Ensembl:ENSMUSG00000030732

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1810022C01Rik, Chl2

Expression Biased expression in subcutaneous fat pad adult (RPKM 4.3), placenta adult (RPKM 2.7) and 5 other tissuesSee more

Orthologs <u>human all</u>

Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Chrdl2-201	ENSMUST00000032977.10	1520	426aa	Protein coding	CCDS21492	A0A0B4J1E8	TSL:1 GENCODE basic APPRIS P3
Chrdl2-202	ENSMUST00000107084.7	1484	<u>433aa</u>	Protein coding	CCDS80755	<u>D3YV59</u>	TSL:1 GENCODE basic APPRIS ALT2
Chrdl2-203	ENSMUST00000144808.1	741	<u>221aa</u>	Protein coding		F6WCT1	CDS 5' incomplete TSL:5
Chrdl2-204	ENSMUST00000207641.1	2176	No protein	Retained intron	-	1-1	TSL:NA

The strategy is based on the design of *Chrdl2-202* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





