

Wbp11 Cas9-CKO Strategy

Designer: Xiaojing Li

Reviewer: JiaYu

Design Date: 2020-8-19

Project Overview



Project Name

Wbp11

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Wbp11 gene. The schematic diagram is as follows:



Technical routes



- ➤ The Wbp11 gene has 7 transcripts. According to the structure of Wbp11 gene, exon5 of Wbp11201(ENSMUST00000116514.3) transcript is recommended as the knockout region. The region contains 197bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Wbp11* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > The Wbp11 gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > The knockout region is about 4.3kb away from the 5-terminal of BC049715, which may affect the regulation of its 5-terminal.
- ➤ The effect of this strategy on Wbp11204 or 206 transcript is unknown.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Wbp11 WW domain binding protein 11 [Mus musculus (house mouse)]

Gene ID: 60321, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Wbp11 provided by MGI

Official Full Name WW domain binding protein 11 provided by MGI

Primary source MGI:MGI:1891823

See related Ensembl:ENSMUSG00000030216

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2510026P17Rik, D6Wsu113e, Npwbp, SIPP1

Expression Ubiquitous expression in testis adult (RPKM 80.0), CNS E11.5 (RPKM 24.0) and 28 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 7 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Wbp11-201	ENSMUST00000116514.3	2739	641aa	Protein coding	CCDS20655	Q923D5	TSL:1 GENCODE basic APPRIS P1
Wbp11-206	ENSMUST00000204129.1	427	<u>143aa</u>	Protein coding	-	A0A0N4SV69	CDS 5' and 3' incomplete TSL:1
Wbp11-204	ENSMUST00000146348.3	312	<u>32aa</u>	Protein coding	626	A0A0N4SVL7	CDS 3' incomplete TSL:5
Wbp11-207	ENSMUST00000204272.2	905	<u>194aa</u>	Nonsense mediated decay	-	A0A0N4SWF7	TSL:5
Wbp11-205	ENSMUST00000151333.1	2339	No protein	Retained intron	-	125	TSL:1
Wbp11-203	ENSMUST00000141598.2	779	No protein	Retained intron	878	(23)	TSL:5
Wbp11-202	ENSMUST00000129078.1	536	No protein	Retained intron	5 - 2		TSL:2

The strategy is based on the design of Wbp11-201 transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





