

Hexim1 Cas9-CKO Strategy

Designer:

Daohua Xu

Reviewer :

Huimin Su

Design Date:

2020-2-19

Project Overview

Project Name

Hexim1

Project type

Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy


This model will use CRISPR/Cas9 technology to edit the *Hexim1* gene. The schematic diagram is as follows:

Donor and CRISPR/Cas9 System

Wild-type allele

Conditional KO allele

KO allele



 Cas9/sgRNA  Uncoding region  Coding region  LoxP

- The *Hexim1* gene has 1 transcript. According to the structure of *Hexim1* gene, exon1 of *Hexim1*-201 (ENSMUST00000053063.6) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Hexim1* gene. The brief process is as follows: sgRNA was transcribed in vitro, donor vector was constructed. Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues or cell types.

- According to the existing MGI data , Mice homozygous for a gene trapped allele exhibit prenatal lethality associated with dilated cardiomyopathy.
- This strategy may affect its 5-terminal regulation and the 3-terminal regulation of the *Acbd4* gene.
- The *Hexim1* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Hexim1 hexamethylene bis-acetamide inducible 1 [*Mus musculus* (house mouse)]

Gene ID: 192231, updated on 10-Oct-2019

Summary


Official Symbol	Hexim1 provided by MGI
Official Full Name	hexamethylene bis-acetamide inducible 1 provided by MGI
Primary source	MGI:MGI:2385923
See related	Ensembl:ENSMUSG00000048878
Gene type	protein coding
RefSeq status	VALIDATED
Organism	<i>Mus musculus</i>
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Clp1; HIS1; CLP-1; 7330426E13Rik
Annotation information	Note: Hexim1 (Gene ID: 192231) and Clp1 (Gene ID: 98985) loci share the Clp1 symbol/alias in common. [08 Feb 2019]
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcripts is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Hexim1-201	ENSMUST00000053063.6	3495	356aa	Protein coding	CCDS25513	Q8R409	TSL:NA GENCODE basic APPRIS P1


The strategy is based on the design of *Hexim1*-201 transcript, The transcription is shown below



Genomic location distribution




Protein domain



Mouse phenotype description(MGI)

Phenotype Overview ?



Click cells to view annotations.

Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>) .

According to the existing MGI data, Mice homozygous for a gene trapped allele exhibit prenatal lethality associated with dilated cardiomyopathy.

If you have any questions, you are welcome to inquire.
Tel: 025-5864 1534



集萃药康生物科技
GemPharmatech Co.,Ltd

