

Mepe Cas9-KO Strategy

Designer:

Daohua Xu

Reviewer :

Huimin Su

Design Date:

2020-2-19

Project Overview

Project Name

Mepe

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Mepe* gene. The schematic diagram is as follows:



Technical routes

- The *Mepe* gene has 1 transcript. According to the structure of *Mepe* gene, exon3 of *Mepe*-201 (ENSMUST00000066207.3) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Mepe* gene. The brief process is as follows: sgRNA was transcribed in vitro. Cas9, sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

- According to the existing MGI data , Mice homozygous for disruptions in this gene have increased amounts of trabecular bone in their skeleton and undergo less age related bone loss. Otherwise, they display a normal phenotype.
- The *Mepe* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Mepe matrix extracellular phosphoglycoprotein with ASARM motif (bone) [*Mus musculus* (house mouse)]

Gene ID: 94111, updated on 17-Dec-2019

Summary


Official Symbol	Mepe provided by MGI
Official Full Name	matrix extracellular phosphoglycoprotein with ASARM motif (bone) provided by MGI
Primary source	MGI:MGI:2137384
See related	Ensembl:ENSMUSG00000053863
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Of45
Expression	Low expression observed in reference dataset See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcripts is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Mepe-201	ENSMUST00000066207.3	1682	441aa	Protein coding	CCDS51578	Q8K4L6	TSL:1 GENCODE basic APPRIS P1


The strategy is based on the design of *Mepe-201* transcript,The transcription is shown below



Genomic location distribution




Protein domain



Mouse phenotype description(MGI)

Phenotype Overview ?



Click cells to view annotations.

Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>) .

According to the existing MGI data, Mice homozygous for disruptions in this gene have increased amounts of trabecular bone in their skeleton and undergo less age related bone loss. Otherwise, they display a normal phenotype.

If you have any questions, you are welcome to inquire.
Tel: 025-5864 1534

