

***Zbtb40* Cas9-CKO Strategy**

Designer: Jia Yu

Reviewer: Xiaojing Li

Design Date: 2020-11-17

Project Overview

Project Name

Zbtb40

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Zbtb40* gene. The schematic diagram is as follows:



Technical routes

- The *Zbtb40* gene has 3 transcripts. According to the structure of *Zbtb40* gene, exon4-exon7 of *Zbtb40*-201(ENSMUST00000049583.7) transcript is recommended as the knockout region. The region contains 580bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Zbtb40* gene. The brief process is as follows: sgRNA was transcribed in vitro, donor vector was constructed. Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- The *Zbtb40* gene is located on the Chr4. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- Transcript 203 CDS 3' incomplete the influences is unknown.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Zbtb40 zinc finger and BTB domain containing 40 [Mus musculus (house mouse)]

Gene ID: 230848, updated on 13-Mar-2020

Summary




Official Symbol	Zbtb40 provided by MGI
Official Full Name	zinc finger and BTB domain containing 40 provided by MGI
Primary source	MGI:MGI:2682254
See related	Ensembl:ENSMUSG00000060862
Gene type	protein coding
RefSeq status	PROVISIONAL
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	BC059177, C230087D24, Gm571, mKIAA0478
Expression	Ubiquitous expression in thymus adult (RPKM 3.9), ovary adult (RPKM 3.5) and 28 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zbtb40-201	ENSMUST00000049583.7	7192	1258aa	Protein coding	CCDS18814	Q6PCS8	TSL:1 GENCODE basic APPRIS P1
Zbtb40-203	ENSMUST00000218160.1	806	269aa	Protein coding	-	A0A1W2P800	CDS 5' and 3' incomplete TSL:2
Zbtb40-202	ENSMUST00000145505.1	4446	No protein	Retained intron	-	-	TSL:1


The strategy is based on the design of *Zbtb40-201* transcript,the transcription is shown below:



Genomic location distribution



Protein domain



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534

